

LED DOWN LIGHT

BINARY STAR

..The Ultimate in Display Lighting

80%Energy Saving

SUPER
BRIGHT



Product Highlights:

- ☆ High Brightness
- ☆ Energy Saving upto 80%
- ☆ High Color Rendering Index (CRI)
- ☆ Long Working Life
- ☆ Elegant and Sleek Appearance

Application Area's:

- Retail Show rooms Viz.. Women Apparels, Mens wear & Jewellery stores
- Shopping Malls
- Hotels, Restaurants & Resorts.
- Banks, Offices & Commercial Spaces.


Product Features:

- ✓ Light Output Precisely Calculated for required Beam angles in retail lighting.
- ✓ LED Chip is Cree Make SMD 2835 with High Lumen output and High CRI.
- ✓ Light Beam Angle 15°, 24° for narrow beams & 38°, 60° for Wide beams as in retail lighting for product counters and general lighting applications.
- ✓ Easily Replaceable in place of Conventional Down lights.
- ✓ Light fixture Suitable for working temperature range - 20°C to + 50°C and indoor Applications.
- ✓ Product Available in Warm White 3000K and Cool White 6000K.
- ✓ High reflective medium using world class Anodized Aluminum reflectors.
- ✓ LED Driver as per BIS Specification

BINARY STAR ..The Ultimate in Display Lighting

Down Lights																	Product Specification									
Reference No	Product Code	Shape	LED Driver	Electrical Parameters			IP Degree	LED			Optics			Power Quality		Warranty										
				Rated Voltage	W	(Class I, II or III)		Chip	Chip Type	Chip Qty.	CCT	Beam Angle**	CRI	PF	THD											
VLLS01-3	VCBS03W RWW	Round	Driver comply with BIS	Ac100-265V ~50/60HZ	3W	II	IP20	CREE		1	3000K	24°	>70	>0.95	Less than 15%	3 Years										
	VCBS03W RWW	Round				II	IP20	CREE		1	6000K	24°	>70	>0.95	Less than 15%	3 Years										


* EPISTAR, CITIZEN, ~~bridge~~lux are also available. **Other Beam Angles 15°, 24° & 60° also available



3 W



Product Conformity:



Packing List							
Reference No.	Product Code	Rated Power	Shape	Pcs / Ctn	Measurements (cm)		
					L	W	H
VLLS01-3	VCBS03WRWW	03	Round	120	36.3	31.0	25.5
	VCBS03WRCW						

Visual Comfort India Private Limited

Regd. Office: Flat No.G-3, D.No.:7-1-50/C, Pleasant Apartments,

Dharam Karam Road, Ameerpet, Hyderabad-500016, Telangana., India.

M: 9393927393, E-mail: visualcomfort2012@gmail.com.

Branches: Vijayawada, Andhra Pradesh State, India & Bangalore, Karnataka State, India.

LED DOWN LIGHT

MINI STAR

..The Ultimate in Display Lighting

80% Energy Saving

SUPER
BRIGHT



Product Highlights:

- ☆ High Brightness
- ☆ Energy Saving upto 80%
- ☆ High Color Rendering Index (CRI)
- ☆ Long Working Life
- ☆ Elegant and Sleek Appearance

Application Area's:

- Retail Show rooms Viz.. Women Apparels, Mens wear & Jewellery stores
- Shopping Malls
- Hotels, Restaurants & Resorts.
- Banks, Offices & Commercial Spaces.



Product Features:

- ✓ Light Output Precisely Calculated for required Beam angles in retail lighting.
- ✓ LED Chip is Cree Make SMD 2835 with High Lumen output and High CRI.
- ✓ Light Beam Angle 15°, 24° for narrow beams & 38°, 60° for Wide beams as in retail lighting for product counters and general lighting applications.
- ✓ Easily Replaceable in place of Conventional Down lights.
- ✓ Light fixture Suitable for working temperature range - 20°C to + 50°C and indoor Applications.
- ✓ Product Available in Warm White 3000K and Cool White 6000K.
- ✓ High reflective medium using world class Anodized Aluminum reflectors.
- ✓ LED Driver as per BIS Specification


Mini STAR ..The Ultimate in Display Lighting

Down Lights																
Down Lights				Product Specification												
Reference No	Product Code	Shape	LED Driver	Electrical parameters			IP Degree	LED			Optics			Power Quality		Warranty
				Rated Voltage	W	(Class I, II or III)		Chip	Chip Type	Chip Qty.	CCT	Beam Angle**	CRI	PF	THD	
VCL01101-6	VCMS06W RWW	Round	LIFUD	Ac100-265V ~50/60HZ	6W	II	IP20	CREE		1	3000K	38°	>80	>0.95	Less than 15%	3 Years
	VCMS06W RCW	Round				II	IP20	CREE		1	6000K	38°	>80	>0.95	Less than 15%	3 Years

* EPISTAR, CITIZEN, ~~bridge~~lux are also available. **Other Beam Angles 15°, 24° & 60° also available



Product Conformity:



Packing List							
Reference No.	Product Code	Rated Power	Shape	Pcs / Ctn	Measurements (cm)		
					L	W	H
VL01101-6	VCMS06WRWW	6	Round	30	55.20	41.3	20.8
	VCMS06WRCW						

Visual Comfort India Private Limited

Regd. Office: Flat No.G-3, D.No.:7-1-50/C, Pleasant Apartments,

Dharam Karam Road, Ameerpet, Hyderabad-500016, Telangana., India.



M: 9393927393, E-mail: visualcomfort2012@gmail.com.

Branches: Vijayawada, Andhra Pradesh State, India & Bangalore, Karnataka State, India.


Mini STAR ..The Ultimate in Display Lighting

Down Lights				Product Specification												
Reference No	Product Code	Shape	LED Driver	Electrical parameters			IP Degree	LED			Optics			Power Quality		Warranty
				Rated Voltage	W	(Class I, II or III)		Chip	Chip Type	Chip Qty.	CCT	Beam Angle**	CRI	PF	THD	
VCL01101-9	VCMS09W RWW	Round	LIFUD	Ac100-265V ~50/60HZ	9W	II	IP20	CREE		1	3000K	38°	>80	>0.95	Less than 15%	3 Years
	VCMS09W RCW	Round				II	IP20	CREE		1	6000K	38°	>80	>0.95	Less than 15%	3 Years

* EPISTAR, CITIZEN, and ~~bridge~~ ~~lux~~ are also available. **Other Beam Angles 15°, 24° & 60° also available



Product Conformity:



Packing List							
Reference No.	Product Code	Rated Power	Shape	Pcs / Ctn	Measurements (cm)		
					L	W	H
VL01101-9	VCMS09WRWW	9	Round				
	VCMS09WRCW						

Visual Comfort India Private Limited

Regd. Office: Flat No.G-3, D.No.:7-1-50/C, Pleasant Apartments,

Dharam Karam Road, Ameerpet, Hyderabad-500016, Telangana., India.

M: 9393927393, E-mail: visualcomfort2012@gmail.com.

Branches: Vijayawada, Andhra Pradesh State, India & Bangalore, Karnataka State, India.


LED DOWN LIGHT

MICRO STAR

..The Ultimate in Display Lighting

80% Energy Saving

SUPER
BRIGHT



Product Highlights:

- ☆ High Brightness
- ☆ Energy Saving upto 80%
- ☆ High Color Rendering Index (CRI)
- ☆ Long Working Life
- ☆ Elegant and Sleek Appearance

Application Area's:

- Retail Show rooms Viz.. Women Apparels, Mens wear & Jewellery stores
- Shopping Malls
- Hotels, Restaurants & Resorts.
- Banks, Offices & Commercial Spaces.




Product Features:

- ✓ Light Output Precisely Calculated for required Beam angles in retail lighting.
- ✓ LED Chip is Cree Make SMD 2835 with High Lumen output and High CRI.
- ✓ Light Beam Angle 15°, 24° for narrow beams & 38°, 60° for Wide beams as in retail lighting for product counters and general lighting applications.
- ✓ Easily Replaceable in place of Conventional Down lights.
- ✓ Light fixture Suitable for working temperature range - 20°C to + 50°C and indoor Applications.
- ✓ Product Available in Warm White 3000K and Cool White 6000K.
- ✓ High reflective medium using world class Anodized Aluminum reflectors.
- ✓ LED Driver as per BIS Specification


MICRO STAR ..The Ultimate in Display Lighting

Down Lights																	
Down Lights				Product Specification													
Reference No	Product Code	Shape	LED Driver	Electrical parameters			IP Degree	LED			Optics			Power Quality		Warranty	
				Rated Voltage	W	(Class I, II or III)		Chip	Chip Type	Chip Qty.	CCT	Beam Angle**	CRI	PF	THD		
VL01102-12	VCMS12W RWW	Round	Meanwell Driver	Ac100-265V	12W	II	IP20	CREE		1	3000K	38°	>80	>0.95	Less than 15%	3 Years	
	VCMS12W RCW	Round		~50/60HZ		II	IP20	CREE		1	6000K	38°	>80	>0.95	Less than 15%	3 Years	

* EPISTAR, CITIZEN, and ~~bridge~~ ~~lux~~ are also available. **Other Beam Angles 15°, 24° & 60° also available



Product Conformity:



Packing List							
Reference No.	Product Code	Rated Power	Shape	Pcs / Ctn	Measurements (cm)		
					L	W	H
VL01102-12	VCMS12WRWW	12W	Round	30	55.20	41.30	24.20
	VCMS12WRCW						

Visual Comfort India Private Limited

Regd. Office: Flat No.G-3, D.No.:7-1-50/C, Pleasant Apartments,

Dharam Karam Road, Ameerpet, Hyderabad-500016, Telangana., India.



M: 9393927393, E-mail: visualcomfort2012@gmail.com.

Branches: Vijayawada, Andhra Pradesh State, India & Bangalore, Karnataka State, India.





MICRO STAR ..The Ultimate in Display Lighting

Down Lights																		Product Specification									
Reference No	Product Code	Shape	LED Driver	Electrical parameters			IP Degree	LED			Optics			Power Quality		Warranty											
				Rated Voltage	W	(Class I, II or III)		Chip	Chip Type	Chip Qty.	CCT	Beam Angle**	CRI	PF	THD												
VL01103-15	VCMS15W RWW	Round	Meanwell Driver	Ac100-265V ~50/60HZ	15W	II	IP20	CREE		1	3000K	38°	>80	>0.95	Less than 15%	3 Years											
	VCMS15W RCW	Round				II	IP20	CREE		1	6000K	38°	>80	>0.95	Less than 15%	3 Years											

* EPISTAR, CITIZEN, bridgeLUX are also available. **Other Beam Angles 15°, 24° & 60° also available





Photometric Diagram



*Ref- No.: VCL01103-15 Beam angle optional: 15°/38°/60°

Product Conformity:



Packing List							
Reference No.	Product Code	Rated Power	Shape	Pcs / Ctn	Measurements (cm)		
					L	W	H
VL01103-15	VCMS15WRWW	15W	Round	12	42.40	33.90	24.20
	VCMS15WRCW						

Visual Comfort India Private Limited

Regd. Office: Flat No.G-3, D.No.:7-1-50/C, Pleasant Apartments,

Dharam Karam Road, Ameerpet, Hyderabad-500016, Telangana., India.

M: 9393927393, E-mail: visualcomfort2012@gmail.com.

Branches: Vijayawada, Andhra Pradesh State, India & Bangalore, Karnataka State, India.

LED DOWN LIGHT

DIAMOND STAR

..The Ultimate in Display Lighting

80% Energy Saving

SUPER
BRIGHT



Product Highlights:

- ☆ High Brightness
- ☆ Energy Saving upto 80%
- ☆ High Color Rendering Index (CRI)
- ☆ Long Working Life
- ☆ Elegant and Sleek Appearance

Application Area's:

- Retail Show rooms Viz.. Women Apparels, Mens wear & Jewellery stores
- Shopping Malls
- Hotels, Restaurants & Resorts.
- Banks, Offices & Commercial Spaces.


Product Features:

- ✓ Light Output Precisely Calculated for required Beam angles in retail lighting.
- ✓ LED Chip is Cree Make SMD 2835 with High Lumen output and High CRI.
- ✓ Light Beam Angle 15°, 24° for narrow beams & 38°, 60° for Wide beams as in retail lighting for product counters and general lighting applications.
- ✓ Easily Replaceable in place of Conventional Down lights.
- ✓ Light fixture Suitable for working temperature range - 20°C to + 50°C and indoor Applications.
- ✓ Product Available in Warm White 3000K and Cool White 6000K.
- ✓ High reflective medium using world class Anodized Aluminum reflectors.
- ✓ LED Driver as per BIS Specification


DIAMOND STAR ..The Ultimate in Display Lighting

Down Lights																	Product Specification										
Reference No	Product Code	Shape	LED Driver	Electrical Parameters			IP Degree	LED			Optics			Power Quality		Warranty											
				Rated Voltage	W	(Class I, II or III)		Chip	Chip Type	Chip Qty.	CCT	Beam Angle**	CRI	PF	THD												
VL01304-30	VCSS30W RWW	Round	Meanwell Driver	Ac100-265V ~50/60HZ	30W	II	IP20	CREE		1	3000K	24°	>80	>0.95	Less than 15%	3 Years											
	VCSS30W RCW	Round				II	IP20	CREE		1	6000K	24°	>80	>0.95	Less than 15%	3 Years											

* **EPISTAR, CITIZEN, bridgeLux** are also available. **Other Beam Angles 15°, 24° & 60° also available




Photometric Diagram



*Ref- No.:VCL01304-30

Product Conformity:



Packing List							
Reference No.	Product Code	Rated Power	Shape	Pcs / Ctn	Measurements (cm)		
					L	W	H
VL01304-30	VCSS30WRWW	30W	Round	12	37.00	35.00	41.00
	VCSS30WRCW						

Visual Comfort India Private Limited

Regd. Office: Flat No.G-3, D.No.:7-1-50/C, Pleasant Apartments,

Dharam Karam Road, Ameerpet, Hyderabad-500016, Telangana., India.

M: 9393927393, E-mail: visualcomfort2012@gmail.com.

Branches: Vijayawada, Andhra Pradesh State, India & Bangalore, Karnataka State, India.


LED DOWN LIGHT

SUPER STAR

..The Ultimate in Display Lighting

80% Energy Saving

SUPER
BRIGHT



Product Highlights:

- ☆ High Brightness
- ☆ Energy Saving upto 80%
- ☆ High Color Rendering Index (CRI)
- ☆ Long Working Life
- ☆ Elegant and Sleek Appearance

Application Area's:

- Retail Show rooms Viz.. Women Apparels, Mens wear & Jewellery stores
- Shopping Malls
- Hotels, Restaurants & Resorts.
- Banks, Offices & Commercial Spaces.



Product Features:

- ✓ Light Output Precisely Calculated for required Beam angles in retail lighting.
- ✓ LED Chip is Cree Make SMD 2835 with High Lumen output and High CRI.
- ✓ Light Beam Angle 15°, 24° for narrow beams & 38°, 60° for Wide beams as in retail lighting for product counters and general lighting applications.
- ✓ Easily Replaceable in place of Conventional Down lights.
- ✓ Light fixture Suitable for working temperature range - 20°C to + 50°C and indoor Applications.
- ✓ Product Available in Warm White 3000K and Cool White 6000K.
- ✓ High reflective medium using world class Anodized Aluminum reflectors.
- ✓ LED Driver as per BIS Specification





SUPER STAR ..The Ultimate in Display Lighting

Down Lights																		Product Specification											
Reference No	Product Code	Shape	LED Driver	Electrical parameters			IP Degree	LED			Optics			Power Quality		Warranty													
				Rated Voltage	W	(Class I, II or III)		Chip	Chip Type	Chip Qty.	CCT	Beam Angle**	CRI	PF	THD														
VL01403-60	VCSS60W RWW	Round	Meanwell Driver	Ac100-265V ~50/60HZ	60W	II	IP20	CREE		5	3000K	38°	>80	>0.95	Less than 15%	3 Years													
	VCSS60W RCW	Round				II	IP20	CREE		5	6000K	38°	>80	>0.95	Less than 15%	3 Years													

* EPISTAR, CITIZEN, bridgeLUX are also available. **Other Beam Angles 15°, 24° & 60° also available




Photometric Diagram



*Ref- No.: VCL01403-60 Beam angle optional: 38°/60°

Product Conformity:



Packing List							
Reference No.	Product Code	Rated Power	Shape	Pcs / Ctn	Measurements (cm)		
					L	W	H
VL01403-60	VCSS60WRWW	60	Round	8	44.6	44.6	34.9
	VCSS60WRCW						

Visual Comfort India Private Limited

Regd. Office: Flat No.G-3, D.No.:7-1-50/C, Pleasant Apartments,

Dharam Karam Road, Ameerpet, Hyderabad-500016, Telangana., India.



M: 9393927393, E-mail: visualcomfort2012@gmail.com.

Branches: Vijayawada, Andhra Pradesh State, India & Bangalore, Karnataka State, India.


SUPER STAR ..The Ultimate in Display Lighting

Down Lights																
Down Lights			LED Driver	Electrical parameters			IP Degree	LED			Optics			Power Quality		Warranty
Reference No	Product Code	Shape		Rated Voltage	W	(Class I, II or III)		Chip	Chip Type	Chip Qty.	CCT	Beam Angle**	CRI	PF	THD	
VL01403-80	VCSS80W RWW	Round	Meanwell Driver	Ac100-265V ~50/60HZ	80W	II	IP20	CREE		5	3000K	38°	>80	>0.95	Less than 15%	3 Years
	VCSS80W RCW	Round				II	IP20	CREE		5	6000K	38°	>80	>0.95	Less than 15%	3 Years

* EPISTAR, CITIZEN, ~~bridge~~ LUX are also available. **Other Beam Angles 15°, 24° & 60° also available




Photometric Diagram



*Ref- No.: VCL01403-80 Beam angle optional: 15°/24°

Product Conformity:



Packing List							
Reference No.	Product Code	Rated Power	Shape	Pcs / Ctn	Measurements (cm)		
					L	W	H
VL01403-80	VCSS80WRWW VCSS80WRCW	80	Round				

Visual Comfort India Private Limited

Regd. Office: Flat No.G-3, D.No.:7-1-50/C, Pleasant Apartments,

Dharam Karam Road, Ameerpet, Hyderabad-500016, Telangana., India.

M: 9393927393, E-mail: visualcomfort2012@gmail.com.

Branches: Vijayawada, Andhra Pradesh State, India & Bangalore, Karnataka State, India.

LED DOWN LIGHT

COMET STAR

..The Ultimate in Display Lighting

80%Energy Saving

SUPER
BRIGHT



Product Highlights:

- ☆ High Brightness
- ☆ Energy Saving upto 80%
- ☆ High Color Rendering Index (CRI)
- ☆ Long Working Life
- ☆ Elegant and Sleek Appearance

Application Area's:

- Retail Show rooms Viz.. Women Apparels, Mens wear & Jewellery stores
- Shopping Malls
- Hotels, Restaurants & Resorts.
- Banks, Offices & Commercial Spaces.


Product Features:

- ✓ Light Output Precisely Calculated for required Beam angles in retail lighting.
- ✓ LED Chip is Cree Make SMD 2835 with High Lumen output and High CRI.
- ✓ Light Beam Angle 15°, 24° for narrow beams & 38°, 60° for Wide beams as in retail lighting for product counters and general lighting applications.
- ✓ Easily Replaceable in place of Conventional Down lights.
- ✓ Light fixture Suitable for working temperature range - 20°C to + 50°C and indoor Applications.
- ✓ Product Available in Warm White 3000K and Cool White 6000K.
- ✓ High reflective medium using world class Anodized Aluminum reflectors.
- ✓ LED Driver as per BIS Specification


COMET STAR ..The Ultimate in Display Lighting

Down Lights																	Product Specification									
Reference No	Product Code	Shape	LED Driver	Electrical parameters			IP Degree	LED			Optics			Power Quality			Warranty									
				Rated Voltage	W	(Class I, II or III)		Chip	Chip Type	Chip Qty.	CCT	Beam Angle**	CRI	PF	THD											
	VCCS08W RWW	Round	LIFUD	Ac100-265V ~50/60HZ	8W	II	IP20	CREE		1	3000K	45°	>80	>0.95	Less than 15%	3 Years										
	VCCS08W RCW	Round				II	IP20	CREE		5	6000K	45°	>80	>0.95	Less than 15%	3 Years										

*Cree and Citizen are also available



Product Conformity:



Packing List							
Reference No.	Product Code	Rated Power	Shape	Pcs / Ctn	Measurements (cm)		
					L	W	H
	VCCS08WRWW	8W	Round	30	55.20	41.30	20.80
	VCCS08WRCW						

Visual Comfort India Private Limited

Regd. Office: Flat No.G-3, D.No.:7-1-50/C, Pleasant Apartments,

Dharam Karam Road, Ameerpet, Hyderabad-500016, Telangana., India.


M: 9393927393, E-mail: visualcomfort2012@gmail.com.

Branches: Vijayawada, Andhra Pradesh State, India & Bangalore, Karnataka State, India.


COMET STAR ..The Ultimate in Display Lighting

Down Lights																	Product Specification									
Reference No	Product Code	Shape	LED Driver	Electrical parameters			IP Degree	LED			Optics			Power Quality		Warranty										
				Rated Voltage	W	(Class I, II or III)		Chip	Chip Type	Chip Qty.	CCT	Beam Angle**	CRI	PF	THD											
	VCCS15W RWW	Round	Meanwell Driver	Ac100-265V ~50/60HZ	15W	II	IP20	CREE		5	3000K	45°	>80	>0.95	Less than 15%	3 Years										
	VCCS15W RCW	Round				II	IP20	CREE		5	6000K	45°	>80	>0.95	Less than 15%	3 Years										

*Cree and Citizen are also available



Product Conformity:



Packing List							
Reference No.	Product Code	Rated Power	Shape	Pcs / Ctn	Measurements (cm)		
					L	W	H
	VCCS15WRWW	15W	Round	12	42.20	33.90	24.20
	VCCS15WRCW						

Visual Comfort India Private Limited

Regd. Office: Flat No.G-3, D.No.:7-1-50/C, Pleasant Apartments,

Dharam Karam Road, Ameerpet, Hyderabad-500016, Telangana., India.


M: 9393927393, E-mail: visualcomfort2012@gmail.com.

Branches: Vijayawada, Andhra Pradesh State, India & Bangalore, Karnataka State, India.


COMET STAR ..The Ultimate in Display Lighting

Down Lights																	Product Specification									
Reference No	Product Code	Shape	LED Driver	Electrical parameters			IP Degree	LED			Optics			Power Quality		Warranty										
				Rated Voltage	W	(Class I, II or III)		Chip	Chip Type	Chip Qty.	CCT	Beam Angle**	CRI	PF	THD											
	VCCS25W RWW	Round	Meanwell Driver	Ac100-265V	25W	II	IP20	CREE		1	3000K	45°	>80	>0.95	Less than 15%	3 Years										
	VCCS25W RCW	Round		~50/60HZ		II	IP20	CREE		5	6000K	45°	>80	>0.95	Less than 15%	3 Years										

*Cree and Citizen are also available



Product Conformity:



Packing List							
Reference No.	Product Code	Rated Power	Shape	Pcs / Ctn	Measurements (cm)		
					L	W	H
	VCCS25WRWW	25W	Round	12	37.00	35.00	41.00
	VCCS25WRCW						

Visual Comfort India Private Limited

Regd. Office: Flat No.G-3, D.No.:7-1-50/C, Pleasant Apartments,

Dharam Karam Road, Ameerpet, Hyderabad-500016, Telangana., India.


M: 9393927393, E-mail: visualcomfort2012@gmail.com.

Branches: Vijayawada, Andhra Pradesh State, India & Bangalore, Karnataka State, India.


COMET STAR ..The Ultimate in Display Lighting

Down Lights																	Product Specification									
Reference No	Product Code	Shape	LED Driver	Electrical parameters			IP Degree	LED			Optics			Power Quality		Warranty										
				Rated Voltage	W	(Class I, II or III)		Chip	Chip Type	Chip Qty.	CCT	Beam Angle**	CRI	PF	THD											
	VCCS35W RWW	Round	Meanwell Driver	Ac100-265V	35W	II	IP20	CREE		5	3000K	45°	>80	>0.95	Less than 15%	3 Years										
	VCCS35W RCW	Round		~50/60HZ		II	IP20	CREE		5	6000K	45°	>80	>0.95	Less than 15%	3 Years										

*Cree and Citizen are also available



Product Conformity:



Packing List							
Reference No.	Product Code	Rated Power	Shape	Pcs / Ctn	Measurements (cm)		
					L	W	H
	VCCS35WRWW	35W	Round	12	54.60	54.60	41.50
	VCCS35WRCW						

Visual Comfort India Private Limited

Regd. Office: Flat No.G-3, D.No.:7-1-50/C, Pleasant Apartments,

Dharam Karam Road, Ameerpet, Hyderabad-500016, Telangana., India.

M: 9393927393, E-mail: visualcomfort2012@gmail.com.

Branches: Vijayawada, Andhra Pradesh State, India & Bangalore, Karnataka State, India.